Sample

PRISM SECTION 3 - DSM-IV ALCOHOL

Statement C.1: Now I'd like to ask you about experiences people have reported in connection with their drinking.

INTERVIEWER INSTRUCTION:

PROBE AS NEEDED FOR CHRONOLOGICAL PATTERNS AND CLUSTERS OF OCCURRENCE OF POSITIVE QUESTIONS (SYMPTOMS) AS YOU GO THROUGH THIS SECTION, SO THAT YOU ALREADY HAVE AT LEAST SOME OF THE INFORMATION FOR THE RECAPITULATION QUESTIONS WHEN YOU REACH THEM.

UNLESS OTHERWISE NOTED, SYMPTOMS MUST FULFILL FREQUENCY AND SEVERITY CRITERIA IN MIDDLE COLUMN TO BE CODED "3."

I 107 13

11 15

		LAST 12 MONTHS	PRIOR TO LAST 12 MONTHS
BOX 1	BOX 1	BOX 1	
Have you ever (REPEAT FREQUENTLY)			
1 driven a car after having several drinks? (PAUSE) Or when you had too much to drink? How about driving a motorcycle, truck, van, or any other kind of vehicle? or a boat? (How were you feeling at that/those time(s)? How many times have you done that? Do you think that ever happened as much as 6 times in a year? What about 3 times in a year?)	Recurrent alcohol use when such use is physically hazardous: driving (with or without license) - must occur 6 or more times within any 1-year period OR 3 or more times within any 1-year period, if accompanied by accident, legal problem, or clear intoxication to the point of substantial impairment if drove after 1-3 drinks, explore for effects of alcohol before rating (include even minimum effects, e.g. "just feels relaxed") include driving after 4 or more drinks must remember actual occasions of hazardous use unless they occurred during alcoholic blackouts	7 1 2 3	7 1 2 3
2 been in any other situation while you were drinking or after drinking that increased your chances of getting hurt? Some examples could be swimming, using machinery or using power equipment. (What did you do? How were you feeling at that/those time(s)? How often did you do that? Do you think that ever happened as much as 6 times in a year? What about 3 times in a year?	Recurrent alcohol use when such use is physically hazardous: situations other than driving - must occur 6 or more times within any 1-year period OR 3 or more times within any 1-year period, if accompanied by accident, legal problem, or clear intoxication to the point of substantial impairment - must feel effects of alcohol at the time - if engaged in the activity after 1-3 drinks, explore for the effects of alcohol before rating - include if subject had 4 or more drinks, engaged in the activity, and reports feeling "relaxed" from the alcohol - include activities that are unsafe due to effects of intoxication on attention, response time, etc. - exclude activities that are hazardous whether drinking or not - must remember actual occasions of hazardous use unless they occurred during alcoholic blackouts	7 1 2 3	7 1 2 3

PRISM SECTION 3 - DSM-IV ALCOHOL (CONT.)

		I LAST 12 MONTHS	II PRIOR TO LAST 12 MONTHS
BOX 2	BOX 2	BOX	2
Heve you ever (REPEAT FREQUENTLY)			
3ahad a problem getting along with other people because of your drinking? Examples could be arguments or friction with family members, friends, people at	Persistent or recurrent <u>social/interpersonal</u> problem that is caused or exacerbated by the <u>effects</u> of alcoholarguments or friction	1 NO 2 YES	1 NO 2 YES
work, or anyone else. (Can you describe that to me? How often did it happen? Did that also happen when you weren't drinking? Was it worse when you were drinking?)	 must occur at least once a week for 1 month <u>OR</u> twice a month for 2 months arguments can be <u>while</u> drinking or <u>about</u> the effects of the alcohol, e.g. behavior or affect while drinking must be active arguing or extended silent disapproval or tension if no problems because changed friends, probe for problems leading to the change in friends 		
3b found that other people stayed away	Persistent or recurrent social/ interpersonal problem that is caused or	1 NO	1 NO
from you because of your drinking? (Can you describe that to me? How often did it happen? Did that also happen when you weren't drinking? Was it worse when you were drinking?)	exacerbated by the effects of alcohol- social rejection	2 YES	2 YES
	 must occur at least once a week for 1 month <u>OR</u> twice a month for 2 months if no problems because changed friends, probe for problems leading to the change in friends caused end of relationship = *2* 		
3c had a time when you had physical fights with people while you were drinking? Did you have any other problems with people related to your drinking? (Can you describe that to me? How often did it happen? Did that also happen when you weren't drinking? Was it worse when you were drinking?)	Persistent or recurrent <u>social/</u> <u>interpersonal</u> problem that is caused or exacerbated by the <u>effects</u> of alcohol-other	1 NO 2 YES	1 NO 2 YES
	 must occur at least once a week for 1 month <u>OR</u> twice a month for 2 months include physical fights and any other social problems not coded in Q.3a or Q.3b (above) 		
IF Q3a, 3b or 3c = YES NAD IF NOT KNOWN:			
3d. Do you think there was any change in your drinking as a result of (this/those) experience(s)? (Can you describe that to me?)	Continued drinking despite having persistent or recurrent social or interpersonal problems caused or exacerbated by the effects of the alcohol	7 1 2 3	7 1 2 3
	 need not acknowledge awareness of alcohol's contribution to problem significant amount of time between occurrence of the problem and cutting down or stopping = "3" aware of problem and cut down, but problem continues at minimal level = 		
	problem continues at minimal tevel = "2" discontinued alcohol use as soon as became aware of problem = "1"		

PRISM SECTION 3 - DSM-IV ALCOHOL (CONT.)

		I LAST 12 <u>Months</u>	II PRIOR TO LAST 12 MONTHS	
BOX 3	BOX 3	ВО	ox 3	
Have you ever (REPEAT FREQUENTLY)				
4found that you couldn't get to work or do your work well because of your drinking? What about not getting to work or not working very well because of the aftereffects of drinking? (Can you describe that to me? How often did it happen? Did that also happen when you weren't drinking? Was it worse when you were drinking?)	Recurrent drinking resulting in a failure to fulfill major role obligations at work - absences or poor performance must occur at least once a week for 1 month OR twice a month for 2 months - include repeated absences from work, or poor work performance related to drinking - subject always performs poorly at work, even if not drinking = M1M - got fired or could not hold a job due to drinking = M3M - include self-employment and childcare as employment	7 1 2 3	7 1 2 3	
5been absent a lot from school, suspended or expelled from school because of your drinking? Did any of these things happen because of the effects of your drinking on your school work? Was there ever a time when your grades were lower than they could have been because of your drinking? (Can you describe that to me? How often did it happen? Did that also happen when you weren't drinking? Was it worse when you were drinking?)	Recurrent drinking resulting in a failure to fulfill major role obligations at school - absences or poor performance must occur at least once a week for 1 month <u>OR</u> twice a month for 2 months - include drinking-related absences from school, as well as suspensions or expulsions from school related in any way to drinking - habitual drinking rather than studying = "3" - subject always performs poorly at school, even if not drinking = "1"	7 1 2 3	7 1 2 3	
6had times when your drinking made it hard for you to take care of (your/someone's) children? (Can you describe that to me? How often did it happen? Did that also happen when you weren't drinking? Was it worse when you were drinking?)	Recurrent drinking resulting in failure to fulfill major role obligations: neglect of children - must occur at least once a week for 1 month OR twice a month for 2 months - clear intoxication or withdrawal not required - may include poor judgement or irresponsibility associated with drinking when responsible for children - exclude childcare as employment	7 1 2 3	7 1 2 3	
7had a time when your drinking made it hard for you to do housework that needed to be done? (Can you describe that to me? How often did it happen? Did that also happen when you weren't drinking? Was it worse when you were drinking?)	Recurrent drinking resulting in failure to fulfill major role obligations: neglect of household - must occur at least once a week for 1 month OR twice a month for 2 months - clear intoxication or withdrawal not required - drinking must be associated with deteriorated household	7 1 2 3	7 1 2 3	

PRISM SECTION 3 - DSM-IV ALCOHOL (CONT.)

			LAS	T 12 THS		PR	11 10R TO 12 MO	
BOX 4 Have you ever (REPEAT FREQUENTLY)		BOX 4			BOX	. 4		
8had any legal problems related your drinking? Examples could inclubeing arrested or picked up by the polifor how you were acting when you'd be drinking, or having a car accident aftyou'd been drinking. Did you have a contact with the police about anything do with drinking, for example, shop-lift to get money for alcohol? (What happene How many times did this happen? Did yhave any other legal problems related your drinking?)	ude drinkin ice een - incl ter poli any - incl to to c ing - excl ad7 abst you - occu to - occu	under any interactions with the ce about behavior while intoxicated under arrests, etc., for activities obtain money for alcohol under legal problems in times of timence arred only once = "2" unrence of any legal problems more a once within a 12-month period = "3"	7 1	2	3	7	1 2	3
CHECK ITEM 3.1 (IS AT LEAST 1 QUI	OHOL ABUSE, LA ESTION IN BOXE NOT COUNT Q.'	S 1 - 4, COLUMN I, CODED #3"?)			NO -		TO CH 3.3, 21	ECK
ES 1-4, COLUMN I, BEGINNING ON PAGE 17) most recent time (this experience was/a meriences were) happening? CHECK ITEM WERE ANY ALCOHOL	any of these	- offset is rated for most recent when any abuse symptom would be #3#	rated		MONT (LAS)
	O THE LAST 12	NS REPORTED FOR THE PAST, MONTHS?	□ NO -	SKIP	TO Q.			
3.2 PRIOR T	TION IN BOXES	1-4, COLUMN II, CODED "3"?)	☐ YES -	GO TO	STAT	rement	C.3	
3.2 PRIOR T	r questions. I	'd like you to think about all the e	voeriences		·h alo		va dva	jus COOE
Tement C.3: In answering the next few tioned, the ones in the past, as well a IN COLUMN II, BOXES 1-4.) IF NOT KNOWN: In your entire life, when would you say (this experience/any of these experience	r questions, I s the ones the y you <u>first</u>	'd like you to think about all the e	experiences REMIND SUB		·h alo	cohol EXPERI	va dva	i jus COOE
3.2 PRIOR T (IS AT LEAST 1 QUES itement C.3: In answering the next few itioned, the ones in the past, as well a IN COLUMN II, BOXES 1-4.) IF NOT KNOWN: In your entire life, when would you say (this experience/any of these experience)	y you <u>first</u> ences) with	'd like you to think about <u>all</u> the eat happened in the last 12 months. (An onset of <u>initial</u> alcohol abuse episonset is dated when any abuse sy	experiences REMIND SUB ande mptom	B Wit	th alc S OF E _ AGE O - SK	cohol	va dva	COOE

2010 (1, 2000)		
ASK IF NOT KNOWN:	TION 3 - DSM-IV ALCOHOL (CONT.)	
12. When did these experiences with alcohol start happening again most recently?	Onset of most recent episode o abuse	AGO MORE
	 onset is time of most rece rence of any abuse symptom a rated #3# 	
INTERVIEWER INSTRUCTION: SKIP TO Q.17, PAGE 22		
CHECK ITEM ALCOHOL ABUSE PRIOR TO 1	THE LAST 12 MONTHS?	☐ NO - SKIP TO Q.17, PAGE 22
(IS AT LEAST 1 QUESTION IN BOXES	1-4, COLUMN II, CODED #347)	YES
13. You mentioned that in the past you (REMIND SUBJECT OF ANY QUESTIONS CODED "3" IN BOXES 1-4, COL. II). About how old were you when (this experience/any of these experiences) <u>first</u> happened?	Onset of <u>initial</u> alcohol abuse e - onset is dated when any abuse would first be rated "3"	·
ASK IF NOT KNOWN: 14. In the past, was there ever a time lasting at	Remission from alcohol abuse la	sting at 1 NO - SKIP TO Q.16
least a year when you stopped drinking entirely?	least a year in the past	3 YES
IF NO, ASK: Was there ever a time in the past lasting at least a year when (this/these) experience(s) with alcohol weren't happening at all?	 total abstinence for at least w3w if not abstinent, must be sympton at least 1 year 	•
15. After that time when you stopped having (this/these) experience(s) with alcohol, was there a time	Recurrence of alcohol abuse	1 NO
when (it/they) began to happen again?	 at least 1 abuse symptom must to be considered recurrence can be coded "YES" even if later 	
16. How old were you when you <u>lest</u> had (this experience/any of these experiences) with alcohol?	Recency/offset of alcohol abuse e	episodeAGE
	 offset is most recent time : abuse symptom would last be re 	